UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 7,577,469 B1

Page 1 of 3

APPLICATION NO. : 09/266346

DATED

: August 18, 2009

INVENTOR(S)

: Jack L. Aronowitz et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 67:

"Dahne et al. al." should read -- Dahne et al. --

Column 16, Line 25:

"slider patch 610" should read --slider patch 600--

Column 16, Line 29:

"housing 610" should read --housing 620--

Column 17, Line 16:

"housing 520" should read --housing 820--

Column 17, Line 17:

"wet chemistry" should read --dry chemistry--

Column 17, Line 21:

"gel 812" should read --gel 822--

Column 18, Line 5:

"OH2O:" should read --dH2O:--

Column 25, Line 10:

"and a light" should read -- and light--

Column 29, Line 39:

"LEDs 500" should read -- LEDs 5000--

Column 33, Line 23:

"computer 136" should read --computer 13600--

Column 33, Line 31:

"reflectometer 30/30" should read --reflectometer 3000/3000'--

Column 43, Line 56:

"reflectometer 3000/30" should read --reflectometer 3000/3000'--

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 3

PATENT NO. : 7,577,469 B1

APPLICATION NO.: 09/266346

DATED INVENTOR(S)	: August 18, 2009 : Jack L. Aronowitz et al.
It is certifie hereby cor	ed that error appears in the above-identified patent and that said Letters Patent is rected as shown below:
Column 5 FIGS. 21	53, Line 30: , 22, 23, 24 and 25.
" WIP	E/GEL 1 2 3 "should read
FIGS. 21	, 22, 23, 24 and 25.
	MM
<u>wi</u>	PE/GEL 1 2 3
Column "	53, Line 40:
WIP	E/GEL 1 2 3 "should read
	JM
wn	PE/GEL 1 2 3

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 7,577,469 B1

Page 3 of 3

APPLICATION NO.: 09/266346

: August 18, 2009

INVENTOR(S)

: Jack L. Aronowitz et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 58, Line 61:

"subjects" should read -- subject--

Column 61, Claim 61, "analyze" should read -- analyte--

Note

ing

This certificate supersedes certificate of correction issued October 27,2009.

